

CERTIFICATE OF TRANSMISSION/MAILING

I hereby certify that this correspondence is being facsimile transmitted to the United States Patent Office, number 1-571-273-8300, or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope, or filed electronically and addressed to: Mail Stop Appeal Brief, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on June 16, 2008.

/Andrew Vernon Smith/

Andrew V. Smith, Reg. No. 43,132

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No. : 10/077,423 Confirmation No. 3748
Applicant(s) : Boris Andreyevich Krasnoiarov
Filed : February 15, 2002
TC/A.U. : 2176
Examiner : Tran, Quoc A.

Docket No. : BEA-101
Customer No. : 73719

Title of the Invention: METHOD AND SYSTEM FOR ASSEMBLING
CONCURRENTLY-GENERATED CONTENT

Mail Stop Appeal Brief
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

SUPPLEMENTAL APPEAL BRIEF

Sir:

This amended Appeal Brief is submitted with required corrections in response to the Notification of Non-Compliant Appeal Brief mailed May 16, 2008, which is submitted in accordance with 37 C.F.R. 41.37.

The fee set forth in 37 C.F.R. 41.20(b)(1) was submitted with the initial Appeal Brief filing on May 12, 2008.

(i) REAL PARTY IN INTEREST

The real party in interest is assignee BEA Systems, Inc.

(ii) RELATED APPEALS AND INTERFERENCES

Parent US application serial number 09/949,532 is pending appeal to the Board of Patent Appeals and Interferences. It is noted that an Appeal Brief has been filed in that related proceeding.

(iii) STATUS OF CLAIMS

Claims 1, 3-16, 18-31, 33-46 and 48-84 stand rejected and each is being appealed. Claims 2, 17, 32 and 47 have been canceled.

(iv) STATUS OF AMENDMENTS

No amendments have been filed subsequent to final rejection.

(v) SUMMARY OF CLAIMED SUBJECT MATTER

Claims 1-84 find support initially at Claims 1-60, as originally filed.

In general, support for the previous amendments to claims 1-60 is found at least at page 14, lines 14-15, page 14, line 31-page 15, line 12, page 22, lines 22-23, and page 27, line 3, and claims 1-60, as originally filed.

Support for previously presented claims 61, 67, 73 and 79 is found at least at page 13, lines 17-18, page 24, lines 5-30, and page 26, lines 9-21.

Support for previously presented claims 62-64, 68-70, 74-76 and 80-82 is found at least at page 25, line 6-page 26, line 2.

Support for previously presented claims 65, 71, 77 and 83 is found at least at page 13, line 31-page 14, line 2, and page 16, beginning at line 4.

Support for previously presented claims 66, 72, 78 and 84 is found at least at page 13, line 31-page 14, line 12.

Of claims 1-84, claims 1, 16, 31 and 46 are independent.

Claim 1 recites a method for satisfying a single request from a client (518A, 518B, ..., and/or 518N of Fig. 5) for a plurality of content components such as company news 104, stock quotes 106, email 108 and a customer relationship management (CRM) content component 110 of Figure 1) derived from content hosted by a plurality of distinct, separately accessible component servers (e.g.,

508, 506, 504 and 502 of Fig. 5, respectively) for forming a personalized network page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The method of claim 1 includes receiving a single request (e.g., element 510 of Fig. 5 may receive a request from a user via a user terminal 518A, 518B and/or 518N and network 520) specifying multiple content components (such as two or more of company news 104, stock quotes 106, email 108 and a customer relationship management (CRM) content component 110 of Figure 1) derived from content hosted by the plurality of distinct, separately accessible component servers (508, 506, 504, 502) for forming the personalized network page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The method of claim 1 further includes, after receiving the single request, generating a plurality of information requests (e.g., as illustrated by the four requests going out from the main server in Figure 9) for the content (e.g., 502, 504, 506, 508), as parallel worker threads spawned from a main execution thread; (for example, as described under the section "PARALLEL REQUESTS" beginning at page 14, line 31, and illustrated at Figures 9-12).

The method of claim 1 further includes sending the plurality of requests as parallel or rapid sequential worker threads (e.g., as illustrated by the four requests going out from the main server in Figure 9) so that each information request is sent to the component server hosting the content corresponding to the information request before receiving a response to any of the information requests, thereby permitting concurrent generation of the content components at the component servers; (e.g., as illustrated by the component servers 904A, 904B and 904D of Figure 10 which each have included therewith a partial-circular segment headed by an arrow illustrating that each is generating a content component, while component server 904C is illustrated as having completed generation of the content component and is now sending to the main server 902).

The method of claim 1 further includes forming the content components from the responses to the information requests (such as illustrated at block 1312 of Figure 13, and at Figure 11 and the left-hand side of Figure 12, and as illustrated by the arrows associated with the main process 516 and the HTTP client libraries 530 of the main server 510 of Figures 5-8) including assembling the personalized network page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The method of claim 1 further includes transmitting the personalized network page including the multiple content components to the client (such as illustrated at block 1314 of Figure 13, and at the left-hand side of Figure 12).

The method of claim 1 further requires that the single request comprises a request for a personalized Web page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The method of claim 1 further requires that the forming comprises assembling the personalized Web page from the content components (such as illustrated at block 1312 of Figure 13, and at Figure 11 and the left-hand side of Figure 12, and as illustrated by the arrows associated with the main process 516 and the HTTP client libraries 530 of the main server 510 of Figures 5-8).

The method of claim 1 further requires that the transmitting comprises sending the personalized Web page to the client. (such as illustrated at block 1314 of Figure 13, and at the left-hand side of Figure 12).

Claim 16 recites computer-readable media embodying instructions executable by a computer (such as main server 510) to perform the method recited at claim 1.

The computer readable media of claim 16 embody instructions executable by a computer (510) to receive a single request (e.g., element 510 of Fig. 5 may receive a request from a user via a user terminal 518A, 518B and/or 518N and network 520) specifying multiple content components (such as two or more of company news 104, stock quotes 106, email 108 and a customer relationship management (CRM) content component 110 of Figure 1) derived from content hosted by the plurality of distinct, separately accessible component servers (508, 506, 504, 502) for forming the personalized network page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The computer readable media of claim 16 embody instructions executable by a computer (510) to, after receiving the single request, generate a plurality of information requests (e.g., as illustrated by the four requests going out from the main server in Figure 9) for the content (e.g., 502, 504, 506, 508), as parallel worker threads spawned from a main execution thread; (for example, as described under the section "PARALLEL REQUESTS" beginning at page 14, line 31, and illustrated at Figures 9-12).

The computer readable media of claim 16 embody instructions executable by a computer (510) to send the plurality of requests as parallel or rapid sequential worker threads (e.g., as illustrated by the four requests going out from the main server in Figure 9) so that each information request is sent to the component server hosting the content corresponding to the information request before receiving a response to any of the information requests, thereby permitting concurrent generation of the content components at the component servers; (e.g., as illustrated by the component servers 904A, 904B and 904D of Figure 10 which each have included therewith a partial-circular segment headed by an arrow illustrating that each is generating a content component, while component

server 904C is illustrated as having completed generation of the content component and is now sending to the main server 902).

The computer readable media of claim 16 embody instructions executable by a computer (510) to form the content components from the responses to the information requests (such as illustrated at block 1312 of Figure 13, and at Figure 11 and the left-hand side of Figure 12, and as illustrated by the arrows associated with the main process 516 and the HTTP client libraries 530 of the main server 510 of Figures 5-8) including assembling the personalized network page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The computer readable media of claim 16 embody instructions executable by a computer (510) to transmit the personalized network page including the multiple content components to the client (such as illustrated at block 1314 of Figure 13, and at the left-hand side of Figure 12).

The computer readable media of claim 16 embody instructions executable by a computer (510) such that the single request comprises a request for a personalized Web page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The computer readable media of claim 16 embody instructions executable by a computer (510) such that the forming comprises assembling the personalized Web page from the content components (such as illustrated at block 1312 of Figure 13, and at Figure 11 and the left-hand side of Figure 12, and as illustrated by the arrows associated with the main process 516 and the HTTP client libraries 530 of the main server 510 of Figures 5-8).

The computer readable media of claim 16 embody instructions executable by a computer (510) such that the transmitting comprises sending the personalized Web page to the client. (such as illustrated at block 1314 of Figure 13, and at the left-hand side of Figure 12).

Claim 31 recites an apparatus for performing the method of claim 1 (Figures 5-12 illustrate component servers 502, 504, 506, and 508, and 904A, 904B, 904C and 904D, clients 518A ... 518N, network 520, main server 510, 902, main process 516, client libraries 530, host libraries 532, intermediate servers 602, 604, 606 and 608).

The apparatus of claim 31 includes means (Figures 5-12 illustrate component servers 502, 504, 506, and 508, and 904A, 904B, 904C and 904D, clients 518A ... 518N, network 520, main server 510, 902, main process 516, client libraries 530, host libraries 532, intermediate servers 602, 604, 606 and 608) for receiving a single request (e.g., element 510 of Fig. 5 may receive a request from a user via a user terminal 518A, 518B and/or 518N and network 520) specifying multiple

content components (such as two or more of company news 104, stock quotes 106, email 108 and a customer relationship management (CRM) content component 110 of Figure 1) derived from content hosted by the plurality of distinct, separately accessible component servers (508, 506, 504, 502) for forming the personalized network page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The apparatus of claim 31 includes means (Figures 5-12 illustrate component servers 502, 504, 506, and 508, and 904A, 904B, 904C and 904D, clients 518A ... 518N, network 520, main server 510, 902, main process 516, client libraries 530, host libraries 532, intermediate servers 602, 604, 606 and 608) for, after receiving the single request, generating a plurality of information requests (e.g., as illustrated by the four requests going out from the main server in Figure 9) for the content (e.g., 502, 504, 506, 508), as parallel worker threads spawned from a main execution thread; (for example, as described under the section "PARALLEL REQUESTS" beginning at page 14, line 31, and illustrated at Figures 9-12).

The apparatus of claim 31 includes means (Figures 5-12 illustrate component servers 502, 504, 506, and 508, and 904A, 904B, 904C and 904D, clients 518A ... 518N, network 520, main server 510, 902, main process 516, client libraries 530, host libraries 532, intermediate servers 602, 604, 606 and 608) for sending the plurality of requests as parallel or rapid sequential worker threads (e.g., as illustrated by the four requests going out from the main server in Figure 9) so that each information request is sent to the component server hosting the content corresponding to the information request before receiving a response to any of the information requests, thereby permitting concurrent generation of the content components at the component servers; (e.g., as illustrated by the component servers 904A, 904B and 904D of Figure 10 which each have included therewith a partial-circular segment headed by an arrow illustrating that each is generating a content component, while component server 904C is illustrated as having completed generation of the content component and is now sending to the main server 902).

The apparatus of claim 31 includes means (Figures 5-12 illustrate component servers 502, 504, 506, and 508, and 904A, 904B, 904C and 904D, clients 518A ... 518N, network 520, main server 510, 902, main process 516, client libraries 530, host libraries 532, intermediate servers 602, 604, 606 and 608) for forming the content components from the responses to the information requests (such as illustrated at block 1312 of Figure 13, and at Figure 11 and the left-hand side of Figure 12, and as illustrated by the arrows associated with the main process 516 and the HTTP client libraries 530 of the main server 510 of Figures 5-8) including assembling the personalized network page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The apparatus of claim 31 include means (Figures 5-12 illustrate component servers 502, 504, 506, and 508, and 904A, 904B, 904C and 904D, clients 518A ... 518N, network 520, main server 510, 902, main process 516, client libraries 530, host libraries 532, intermediate servers 602, 604, 606 and 608) for transmitting the personalized network page including the multiple content components to the client (such as illustrated at block 1314 of Figure 13, and at the left-hand side of Figure 12).

The apparatus of claim 31 is configured such that the single request comprises a request for a personalized Web page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The apparatus of claim 31 is configured such that the forming comprises assembling the personalized Web page from the content components (such as illustrated at block 1312 of Figure 13, and at Figure 11 and the left-hand side of Figure 12, and as illustrated by the arrows associated with the main process 516 and the HTTP client libraries 530 of the main server 510 of Figures 5-8).

The apparatus of claim 31 is configured such that the transmitting comprises sending the personalized Web page to the client. (such as illustrated at block 1314 of Figure 13, and at the left-hand side of Figure 12).

Claim 46 recites a further apparatus for performing the method of claim 1 (see above regarding the elements of claim 1, and Figures 5-12 illustrate component servers 502, 504, 506, and 508, and 904A, 904B, 904C and 904D, clients 518A ... 518N, network 520, main server 510, 902, main process 516, client libraries 530, host libraries 532, intermediate servers 602, 604, 606 and 608).

The apparatus of claim 46 is configured to receive a single request (e.g., element 510 of Fig. 5 may receive a request from a user via a user terminal 518A, 518B and/or 518N and network 520) specifying multiple content components (such as two or more of company news 104, stock quotes 106, email 108 and a customer relationship management (CRM) content component 110 of Figure 1) derived from content hosted by the plurality of distinct, separately accessible component servers (508, 506, 504, 502) for forming the personalized network page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The apparatus of claim 46 is configured to, after receiving the single request, generate a plurality of information requests (e.g., as illustrated by the four requests going out from the main server in Figure 9) for the content (e.g., 502, 504, 506, 508), as parallel worker threads spawned from a main execution thread; (for example, as described under the section "PARALLEL REQUESTS" beginning at page 14, line 31, and illustrated at Figures 9-12).

The apparatus of claim 46 is configured to send the plurality of requests as parallel or rapid sequential worker threads (e.g., as illustrated by the four requests going out from the main server in Figure 9) so that each information request is sent to the component server hosting the content corresponding to the information request before receiving a response to any of the information requests, thereby permitting concurrent generation of the content components at the component servers; (e.g., as illustrated by the component servers 904A, 904B and 904D of Figure 10 which each have included therewith a partial-circular segment headed by an arrow illustrating that each is generating a content component, while component server 904C is illustrated as having completed generation of the content component and is now sending to the main server 902).

The apparatus of claim 46 is configured to form the content components from the responses to the information requests (such as illustrated at block 1312 of Figure 13, and at Figure 11 and the left-hand side of Figure 12, and as illustrated by the arrows associated with the main process 516 and the HTTP client libraries 530 of the main server 510 of Figures 5-8) including assembling the personalized network page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The apparatus of claim 46 is configured to transmit the personalized network page including the multiple content components to the client (such as illustrated at block 1314 of Figure 13, and at the left-hand side of Figure 12).

The apparatus of claim 46 is configured such that the single request comprises a request for a personalized Web page (e.g., as may be viewed by a user on display screen 102 of Fig. 1).

The apparatus of claim 46 is configured such that the forming comprises assembling the personalized Web page from the content components (such as illustrated at block 1312 of Figure 13, and at Figure 11 and the left-hand side of Figure 12, and as illustrated by the arrows associated with the main process 516 and the HTTP client libraries 530 of the main server 510 of Figures 5-8).

The apparatus of claim 46 is configured such that the transmitting comprises sending the personalized Web page to the client. (such as illustrated at block 1314 of Figure 13, and at the left-hand side of Figure 12).

(vi) GROUNDS OF REJECTION TO BE REVIEWED ON APPEAL

Claims 1, 3, 12-16, 18, 27-31, 33, 42-46, 48, and 57-84 are rejected under 35 USC 103(a) as being unpatentable over US patent 5,983,227 to Nazem et al. in view of US 2002/0178232 to Ferguson.

Claims 4-11, 19-26, 34-41 and 49-56 are rejected under 35 USC 103(a) as being unpatentable over Nazem et al., in view of Ferguson, further in view of US patent 6,941,339 to McMichael.

(vii) ARGUMENT

ARGUMENT 1:

Claims 1, 3, 12-16, 18, 27-31, 33, 42-46, 48, and 57-84 are patentable under 35 USC 103(a) over the combination of Nazem et al. and Ferguson, because no combination of these references teaches or suggests all of the limitations of Applicants invention as set forth at any of Claims 1, 3, 12-16, 18, 27-31, 33, 42-46, 48, and 57-84.

Claim 1 recites that after receiving a single request (specifying multiple content components derived from content hosted by a plurality of distinct component servers), a plurality of information requests for the content are generated as parallel worker threads spawned from a main execution thread. Claim 1 further recites sending the plurality of requests as parallel or rapid sequential worker threads so that each information request to the component server hosting the content corresponding to the information request before receiving a response to any of the information requests, thereby permitting concurrent generation of the content components at the component servers. An advantage of Applicants' invention is that the requested data is retrieved from each of the component servers very soon after a request is received from a client, for example, client 518A of Applicants' Figure 5. The second element of Applicants' claim 1 recites specifically "After receiving the single request, generating a plurality of information requests for the content" This feature of Applicants' invention permits the assembly of a network page that has very fresh data.

Applicants' invention advantageously requires generation of multiple requests for multiple content components as parallel worker threads spawned from a main execution thread, thereby permitting concurrent generation of the content components at the component servers. In this way, the data may be retrieved after the request comes in, thereby providing enhanced freshness, while the generation of multiple requests as parallel worker threads permitting concurrent generation of the content components does not result in a delay that is the sum of the time for each retrieval process. Instead, the delay will be only as long as the longest retrieval process for any of the requested components (note that Applicants' invention as set forth at claim 3 sets forth an upper limit on the wait time before generating the personalized page without a component that is delayed beyond a timeout period). The result is that Applicants' invention provides a personalized page with fresher data than any combination of Nazem et al. and Ferguson, and without intolerable delay.

The Examiner concedes that Nazem et al. do not disclose this feature of Applicant's invention. The Examiner relies instead upon paragraph [0121] and Figure 9 of Ferguson. However, this disclosure of Ferguson also does not teach or suggest this feature of Applicants' invention. Figure 5 of Ferguson simply illustrates an invention engine 400 that requests a page 330 at a requested Web server 306 which sends the page 332 to the invention engine 400. Figure 6 of Ferguson simply shows a BITE client 408 communicating a request 330 to a Web server 306 through an invention Gateway 402. Figure 8 shows invention Web server 302 receiving outgoing banner request with client ID 712 from Ad Fetcher 708, and sending incoming banner data 714 to Ad Fetcher 708. Figure 9 shows a sequence of communications from top to bottom of Sheet 9 including Ad banner request, then CGI response, then Banner Fetch, then Ad Banner File Delivery, and finally Click Input on Ad Banner.

Paragraph [0121] simply states that an Ad Management System (AMS), such as that illustrated on the left in Figure 9 of Ferguson, works in parallel with a BITE client 408, which is capable of generating HTTP requests to Web servers. There is no mention that a single incoming request includes HTTP requests and Ad requests, and it is doubtful that a user would request an Ad. Instead, a user would send an HTTP request, which would result in Ferguson's BITE client 408 filling the user's HTTP request through invention gateway 402. An Ad, which was not requested in the HTTP request, would be generated by the AMS and combined as a banner in a Web page including the requested content. There is no suggestion that BITE client 408 generates a plurality of information requests for the content requested by the user as parallel worker threads spawned from a main execution thread, and certainly the addition of an Ad banner to requested content does not meet this feature of Applicants' invention.

Applicants' Figures 5-9 and 12-14 illustrate the invention set forth at claim 1, which is clearly distinguished from any combination of Ferguson and Nazem et al. Applicants' requests involve multiple content components which are provided in response, unlike Ferguson whose requests involve a content component which is provided in combination with a non-requested Ad banner in response.

As no combination of Nazem et al. and Ferguson teaches to generate multiple requests for multiple requested content components, after receiving the request, as parallel worker threads spawned from a main execution thread, thereby permitting concurrent generation of the content components at the component servers, whereby the retrieving by parallel worker threads greatly reduces delays incurred in serial processing environments such as those described by Nazem et al. and Ferguson, then it is respectfully submitted that Applicants' claim 1 is allowable.

Claims 2-3, 12-18, 27-33, 42-48 and 57-84 are allowable for the same reasons as claim 1.

ARGUMENT II:

Claims 4-11, 19-26, 34-41 and 49-56 are patentable over the combination of Nazem et al., in view of Ferguson, in further view of McMichael, because no combination of these references teaches or suggests all of the limitations of Applicants invention as set forth at any of claims 4-11, 19-26, 34-41 and 49-56.

Claims 4-11, 19-26, 34-41 and 49-56 are allowable for the same reasons as claim 1, as set forth above, and because neither does McMichael in combination with Nazem et al. and Ferguson teach or suggest the features of Applicants' invention that the combination of Nazem et al. and Ferguson fails to teach or suggest.

(viii) CLAIMS APPENDIX

Claim 1. A method for satisfying a single request from a client for a plurality of content components derived from content hosted by a plurality of distinct, separately accessible component servers for forming a personalized network page, comprising:

- receiving a single request specifying multiple content components derived from content hosted by the plurality of distinct, separately accessible component servers for forming the personalized network page;

- after receiving the single request, generating a plurality of information requests for the content as parallel worker threads spawned from a main execution thread;

- sending the plurality of requests as parallel or rapid sequential worker threads so that each information request is sent to the component server hosting the content corresponding to the information request before receiving a response to any of the information requests, thereby permitting concurrent generation of the content components at the component servers;

- forming the content components from the responses to the information requests including assembling the personalized network page; and

- transmitting the personalized network page including the multiple content components to the client and

- wherein the single request comprises a request for a personalized Web page; and

- wherein the forming comprises assembling the personalized Web page from the content components; and

- wherein the transmitting comprises sending the personalized Web page to the client.

Claim 2. (canceled)

Claim 3. The method of claim 1, further comprising:

- instantiating a timer after the step of sending each information request and before the step of forming the personalized web page; and

- if no response is received from one of the component servers prior to a timeout period of the timer, performing the steps of

- immediately establishing the response from that component server as a null value, and

- carrying out the steps of forming the personalized network page and transmitting the personalized network page to the client without waiting for that response.

Claim 4. The method of claim 1, wherein the component servers generate the responses in different data formats, and the method further comprises converting the responses to a common data format.

Claim 5. The method of claim 4, wherein the common data format is based on a markup language.

Claim 6. The method of claim 4, wherein the converting step is performed at the respective component servers.

Claim 7. The method of claim 4, wherein the converting step is performed at a main server, the main server also receiving the single request from the user and transmitting the personalized network page to the client.

Claim 8. The method of claim 7, wherein the main server is a corporate portal server.

Claim 9. The method of claim 7, wherein the main server is an Internet portal server.

Claim 10. The method of claim 7, wherein each of the main server and the component servers are physically separate, and wherein the information requests and responses are transmitted according to a standard network protocol.

Claim 11. The method of claim 10, wherein the standard network protocol is selected from the group consisting of HTTP, HTTPS, WAP, and FTP.

Claim 12. The method of claim 1, wherein the component servers comprise an email server, an enterprise resource planning server, or a customer relationship management server, or combinations thereof.

Claim 13. The method of claim 3, wherein the information requests are transmitted according to a standard network protocol.

Claim 14. The method of claim 13, wherein the standard network protocol is selected from the group consisting of HTTP, HTTPS, WAP, and FTP.

Claim 15. The method of claim 1, further comprising:
 generating a state machine to represent the progress of each information request; and
 recursively processing the state machines to advance the progress of each information request.

Claim 16. Computer-readable media embodying instructions executable by a computer to perform a method for satisfying a single request from a client for a plurality of content components derived from content hosted by a plurality of

distinct, separately accessible component servers for forming a personalized network page, the method comprising:

- receiving a single request specifying multiple content components derived from content hosted by the plurality of distinct, separately accessible component servers for forming the personalized network page;

- after receiving the single request, generating a plurality of information requests for the content as parallel worker threads spawned from a main execution thread;

- sending the plurality of requests as parallel or rapid sequential worker threads so that each information request is sent to the component server hosting the content corresponding to the information request before receiving a response to any of the information requests, thereby permitting concurrent generation of the content components at the component servers;

- forming the content components from the responses to the information requests including assembling the personalized network page; and

- transmitting the personalized network page including the multiple content components to the client and

- wherein the single request comprises a request for a personalized Web page; and

- wherein the forming comprises assembling the personalized Web page from the content components; and

- wherein the transmitting comprises sending the personalized Web page to the client.

Claim 17. (canceled)

Claim 18. The media of claim 16, wherein the method further comprises:

- instantiating a timer after the step of sending each information request and before the step of forming the personalized web page; and

- if no response is received from one of the component servers prior to a timeout period of the timer, performing the steps of

- immediately establishing the response from that component server as a null value, and

- carrying out the steps of forming the personalized network page and transmitting the personalized network page to the client without waiting for that response.

Claim 19. The media of claim 16, wherein the component servers generate the responses in different data formats, wherein the method further comprises:

- converting the responses to a common data format.

Claim 20. The media of claim 19, wherein the common data format is based on a markup language.

Claim 21. The media of claim 19, wherein the converting step is performed at the respective component servers.

Claim 22. The media of claim 19, wherein the converting step is performed at a main server, the main server also receiving the single request from the user and transmitting the personalized network page to the client.

Claim 23. The media of claim 22, wherein the main server is a corporate portal server.

Claim 24. The media of claim 22, wherein the main server is an Internet portal server.

Claim 25. The media of claim 22, wherein each of the main server and the component servers are physically separate, and wherein the information requests and responses are transmitted according to a standard network protocol.

Claim 26. The media of claim 25, wherein the standard network protocol is selected from the group consisting of HTTP, HTTPS, WAP, and FTP.

Claim 27. The media of claim 16, wherein the component servers comprise an email server, an enterprise resource planning server, or a customer relationship management server, or combinations thereof.

Claim 28. The media of claim 18, wherein the information requests are transmitted according to a standard network protocol.

Claim 29. The media of claim 28, wherein the standard network protocol is selected from the group consisting of HTTP, HTTPS, WAP, and FTP.

Claim 30. The media of claim 16, wherein the method further comprises:
generating a state machine to represent the progress of each information request; and
recursively processing the state machines to advance the progress of each information request.

Claim 31. An apparatus for satisfying a single request from a client for a plurality of content components derived from content hosted by a plurality of distinct, separately accessible component servers for forming a personalized network page, comprising:
means for receiving a single request specifying multiple content components derived from content hosted by the plurality of distinct, separately accessible component servers for forming the personalized network page;

means for, after receiving the single request, generating a plurality of information requests for the content as parallel worker threads spawned from a main execution thread;

means for sending the plurality of requests as parallel or rapid sequential worker threads so that each information request is sent to the component server hosting the content corresponding to the information request before receiving a response to any of the information requests, thereby permitting concurrent generation of the content components at the component servers;

means for forming the content components from the responses to the information requests including assembling the personalized network page; and

means for transmitting the personalized network page including the multiple content components to the client and

wherein the single request comprises a request for a personalized Web page; and

wherein the forming comprises assembling the personalized Web page from the content components; and

wherein the transmitting comprises sending the personalized Web page to the client.

Claim 32. (canceled)

Claim 33. The apparatus of claim 31, further comprising:

means for instantiating a timer after the step of sending each information request and before the step of forming the personalized web page; and

means for, if no response is received from one of the component servers prior to a timeout period of the timer, performing the steps of

immediately establishing the response from that component server as a null value, and

carrying out the steps of forming the personalized network page and transmitting the personalized network page to the client without waiting for that response.

Claim 34. The apparatus of claim 31, wherein the component servers generate the responses in different data formats, wherein the apparatus further comprises:

means for converting the responses to a common data format.

Claim 35. The apparatus of claim 34, wherein the common data format is based on a markup language.

Claim 36. The apparatus of claim 34, wherein the means for converting is part of the respective component servers.

Claim 37. The apparatus of claim 34, wherein the means for converting is part of a main server, the main server also receiving the single request from the user and transmitting the personalized network page to the client.

Claim 38. The apparatus of claim 37, wherein the main server is a corporate portal server.

Claim 39. The apparatus of claim 37, wherein the main server is an Internet portal server.

Claim 40. The apparatus of claim 37, wherein each of the main server and the component servers are physically separate, and wherein the information requests and responses are transmitted according to a standard network protocol.

Claim 41. The apparatus of claim 40, wherein the standard network protocol is selected from the group consisting of HTTP, HTTPS, WAP, and FTP.

Claim 42. The apparatus of claim 41, wherein the component servers comprise an email server, an enterprise resource planning server, or a customer relationship management server, or combinations thereof.

Claim 43. The apparatus of claim 33, wherein the information requests are transmitted according to a standard network protocol.

Claim 44. The apparatus of claim 43, wherein the standard network protocol is selected from the group consisting of HTTP, HTTPS, WAP, and FTP.

Claim 45. The apparatus of claim 31, further comprising:
 means for generating a state machine to represent the progress of each information request; and
 means for recursively processing the state machines to advance the progress of each information request.

Claim 46. An apparatus for satisfying a single request from a client for a plurality of content components derived from content hosted by a plurality of distinct, separately accessible component servers for forming a personalized network page, the apparatus comprising a processor configured to perform a method comprising:

 receiving a single request specifying multiple content components derived from content hosted by the plurality of distinct, separately accessible component servers for forming the personalized network page;

 after receiving the single request, generating a plurality of information requests for the content as parallel worker threads spawned from a main execution thread;

 sending the plurality of requests as parallel or rapid sequential worker threads so that each information request is sent to the component server hosting the content corresponding to the information request before receiving a response

to any of the information requests, thereby permitting concurrent generation of the content components at the component servers;

forming the content components from the responses to the information requests including assembling the personalized network page; and

transmitting the personalized network page including the multiple content components to the client and

wherein the single request comprises a request for a personalized Web page; and

wherein the forming comprises assembling the personalized Web page from the content components; and

wherein the transmitting comprises sending the personalized Web page to the client.

Claim 47. (canceled)

Claim 48. The apparatus of claim 46, wherein the method further comprises:

instantiating a timer after the step of sending each information request and before the step of forming the personalized web page; and

if no response is received from one of the component servers prior to a timeout period of the timer, performing the steps of

immediately establishing the response from that component server as a null value, and

carrying out the forming of the personalized network page and transmitting the personalized network page to the client without waiting for that response.

Claim 49. The apparatus of claim 46, wherein the component servers generate the responses in different data formats, wherein the method further comprises:

converting the responses to a common data format.

Claim 50. The apparatus of claim 49, wherein the common data format is based on a markup language.

Claim 51. The apparatus of claim 49, wherein the converting is performed at the respective component servers.

Claim 52. The apparatus of claim 49, wherein the converting is performed at a main server, the main server also receiving the single request from the user and transmitting the personalized network page to the client.

Claim 53. The apparatus of claim 52, wherein the main server is a corporate portal server.

Claim 54. The apparatus of claim 52, wherein the main server is an Internet portal server.

Claim 55. The apparatus of claim 52, wherein each of the main server and the component servers are physically separate, and wherein the information requests and responses are transmitted according to a standard network protocol.

Claim 56. The apparatus of claim 55, wherein the standard network protocol is selected from the group consisting of HTTP, HTTPS, WAP, and FTP.

Claim 57. The apparatus of claim 56, wherein the component servers comprise an email server, an enterprise resource planning server, or a customer relationship management server, or combinations thereof.

Claim 58. The apparatus of claim 48, wherein the information requests are transmitted according to a standard network protocol.

Claim 59. The apparatus of claim 58, wherein the standard network protocol is selected from the group consisting of HTTP, HTTPS, WAP, and FTP.

Claim 60. The apparatus of claim 46, wherein the method further comprises:
generating a state machine to represent the progress of each information request; and
recursively processing the state machines to advance the progress of each information request.

Claim 61. The method of claim 1, further comprising uniquely identifying a user who wishes to view the personalized network page regardless of which access terminal is being used.

Claim 62. The method of claim 1, further comprising caching one or more of the content components for retrieval without contacting the component server in a future request.

Claim 63. The method of claim 62, wherein the caching comprises indexing at least one of the content components according to one or more user preferences.

Claim 64. The method of claim 1, further comprising retrieving one or more previously cached content components for including in the personalized network page without contacting the corresponding component server.

Claim 65. The method of claim 64, wherein at least one of the cached content components was indexed according to one or more user preferences, and wherein the retrieving comprises calling the at least one cached content component according to the indexing.

Claim 66. The method of claim 1, further comprising providing a form allowing a user to select the components from a library of components.

Claim 67. The media of claim 16, the method further comprising uniquely identifying a user who wishes to view the personalized network page regardless of which access terminal is being used.

Claim 68. The media of claim 16, the method further comprising caching one or more of the content components for retrieval without contacting the component server in a future request.

Claim 69. The media of claim 68, wherein the caching comprises indexing at least one of the content components according to one or more user preferences.

Claim 70. The media of claim 16, the method further comprising retrieving one or more previously cached content components for including in the personalized network page without contacting the corresponding component server.

Claim 71. The media of claim 70, wherein at least one of the cached content components was indexed according to one or more user preferences, and wherein the retrieving comprises calling the at least one cached content component according to the indexing.

Claim 72. The media of claim 16, the method further comprising providing a form allowing a user to select the components from a library of components.

Claim 73. The apparatus of claim 31, the method further comprising uniquely identifying the user who wishes to view the personalized network page regardless of which access terminal is being used.

Claim 74. The apparatus of claim 31, the method further comprising caching one or more of the content components for retrieval without contacting the component server in a future request.

Claim 75. The apparatus of claim 74, wherein the caching comprises indexing at least one of the content components according to one or more user preferences.

Claim 76. The apparatus of claim 31, the method further comprising retrieving one or more previously cached content components for including in the personalized network page without contacting the corresponding component server.

Claim 77. The apparatus of claim 76, wherein at least one of the cached content components was indexed according to one or more user preferences, and

wherein the retrieving comprises calling the at least one cached content component according to the indexing.

Claim 78. The apparatus of claim 31, the method further comprising providing a form allowing a user to select the components from a library of components.

Claim 79. The apparatus of claim 46, the method further comprising uniquely identifying the user who wishes to view the personalized network page regardless of which access terminal is being used.

Claim 80. The apparatus of claim 46, the method further comprising caching one or more of the content components for retrieval without contacting the component server in a future request.

Claim 81. The apparatus of claim 80, wherein the caching comprises indexing at least one of the content components according to one or more user preferences.

Claim 82. The apparatus of claim 46, the method further comprising retrieving one or more previously cached content components for including in the personalized network page without contacting the corresponding component server.

Claim 83. The apparatus of claim 82, wherein at least one of the cached content components was indexed according to one or more user preferences, and wherein the retrieving comprises calling the at least one cached content component according to the indexing.

Claim 84. The apparatus of claim 46, the method further comprising providing a form allowing a user to select the components from a library of components.

(ix) EVIDENCE APPENDIX

None.

(x) RELATED PROCEEDINGS APPENDIX

A copy of the Pre-Appeal Brief Decision to proceed to the BPAI in related US application serial number 09/949,532 is appended hereafter.

The Commissioner is authorized to charge any deficiencies in fees and credit any overpayment of fees to Deposit Account No. 50-4425. A duplicate page is enclosed.

Respectfully submitted,

SF BAY AREA PATENTS, LLC

Dated: June 16, 2008

By /Andrew Vernon Smith/

Andrew V. Smith
Reg. No. 43,132
Attorney for Applicant

CUSTOMER NO. 73719
SF BAY AREA PATENTS, LLC
601 Van Ness Avenue, #1108
San Francisco, CA 94102

Telephone: 415-674-6711
Facsimile: 415-358-4795

Enclosure: Appendix A

The Commissioner is authorized to charge any deficiencies in fees and credit any overpayment of fees to Deposit Account No. 50-4425. A duplicate page is enclosed.

Respectfully submitted,

SF BAY AREA PATENTS, LLC

Dated: June 16, 2008 By /Andrew Vernon Smith/
Andrew V. Smith
Reg. No. 43,132
Attorney for Applicant

CUSTOMER NO. 73719
SF BAY AREA PATENTS, LLC
601 Van Ness Avenue, #1108
San Francisco, CA 94102

Telephone: 415-674-6711
Facsimile: 415-358-4795

Enclosure: Appendix A

APPENDIX A

Copy of Notice of Panel Decision from Pre-Appeal Brief Review dated October 4, 2007 for U.S. Patent Application No. 10/949,532, filed September 7, 2001
Inventors: Boris Andreyevich Krasnoiarov, et al.



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov


APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/949,532	09/07/2001	Boris Andreycovich Krasnoiarov	BE-06-01 991101	8587
30349 7590 10/04/2007 JACKSON & CO., LLP 6114 LA SALLE AVENUE #507 OAKLAND, CA 94611-2802			EXAMINER TRAN, QUOC A	
			ART UNIT 2176	PAPER NUMBER
			NOTIFICATION DATE 10/04/2007	DELIVERY MODE ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

uspto@jacolaw.com
docketing@jacolaw.com
mail@jacolaw.com

Application Number 	Application/Control No. 09/949,532 Quoc A. Tran	Applicant(s)/Patent under Reexamination KRASNOIAROV ET AL. Art Unit 2176
Document Code - AP.PRE.DEC		

Notice of Panel Decision from Pre-Appeal Brief Review



This is in response to the Pre-Appeal Brief Request for Review filed 2/5/07.

1. ☐ **Improper Request** – The Request is improper and a conference will not be held for the following reason(s):

- ☐ The Notice of Appeal has not been filed concurrent with the Pre-Appeal Brief Request.
- ☐ The request does not include reasons why a review is appropriate.
- ☐ A proposed amendment is included with the Pre-Appeal Brief request.
- ☐ Other:

The time period for filing a response continues to run from the receipt date of the Notice of Appeal or from the mail date of the last Office communication, if no Notice of Appeal has been received.

2. ☒ **Proceed to Board of Patent Appeals and Interferences** – A Pre-Appeal Brief conference has been held. The application remains under appeal because there is at least one actual issue for appeal. Applicant is required to submit an appeal brief in accordance with 37 CFR 41.37. The time period for filing an appeal brief will be reset to be one month from mailing this decision, or the balance of the two-month time period running from the receipt of the notice of appeal, whichever is greater. Further, the time period for filing of the appeal brief is extendible under 37 CFR 1.136 based upon the mail date of this decision or the receipt date of the notice of appeal, as applicable.

☒ The panel has determined the status of the claim(s) is as follows:

Claim(s) allowed: _____.

Claim(s) objected to: _____.

Claim(s) rejected: 1-84.

Claim(s) withdrawn from consideration: _____.

3. ☐ **Allowable application** – A conference has been held. The rejection is withdrawn and a Notice of Allowance will be mailed. Prosecution on the merits remains closed. No further action is required by applicant at this time.

4. ☐ **Reopen Prosecution** – A conference has been held. The rejection is withdrawn and a new Office action will be mailed. No further action is required by applicant at this time.

All participants:

(1) Quoc A. Tran.

(2) W. Douglas Hutton.

(3) Lynne H Browne
Appeal Practice Specialist, TQAS.

(4) _____.